

ZYXEL

Zyxel VMG3625-T20A wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) 3G Black

Brand : Zyxel

Product code: VMG3625-T20A-EU01V1F

Product name : VMG3625-T20A

802.11 b/g/n 2.4GHz, 802.11 a/n/ac 5GHz, WPA/WPA2, WPA-PSK/WPA2-PSK, WEP 64/128 bit, Multi SSID, 3G dongle, DHCP, DNS, NAT/NAPT, IEEE 802.1d, IGMP v1, v2, v3, IPv4/IPv6, USP 2.0, WLAN/WPS, 24W, Zyxel VMG3625-T20A. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 866 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Mobile network generation: 3G. Security algorithms: WPA, WPA-PSK, WPA2, WPA2-PSK. Product type: Tabletop router, Product colour: Black, LED indicators: DSL, LAN, Power, USB, WAN, WLAN



WAN connection		Security	
Ethernet WAN *	✓	Security algorithms	WPA, WPA-PSK, WPA2, WPA2-PSK
DSL WAN *	✓	Firewall	✓
SIM card slot *	✗	Protocols	
Wireless LAN features		DHCP client	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	DHCP server	✓
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	Design	
WLAN data transfer rate (max) *	866 Mbit/s	Product colour	Black
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	LED indicators	DSL, LAN, Power, USB, WAN, WLAN
Network		Product type *	Tabletop router
Ethernet LAN *	✓	Packaging content	
Ethernet LAN interface type *	Gigabit Ethernet	Cables included	LAN (RJ-45)
Ethernet LAN data rates	10,100,1000 Mbit/s	Quick start guide	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenna	
Mobile network		Antenna design *	Internal
Mobile network generation	3G	Power	
3G	✓	Power source type *	PoE
DSL features		Operational conditions	
ADSL	✓	Operating temperature (T-T)	0 - 40 °C
ADSL2	✓	Storage temperature (T-T)	-30 - 70 °C
ADSL2+	✓	Operating relative humidity (H-H)	10 - 90%
VDSL	✓	Storage relative humidity (H-H)	10 - 95%
VDSL2	✓	Weight & dimensions	
Ports & interfaces		Width	180 mm
Ethernet LAN (RJ-45) ports *	1	Depth	145 mm
USB port *	✓	Height	29,8 mm
USB 2.0 ports quantity	1	Weight	274 g
RJ-11 ports quantity	1	Packaging data	
Memory card slot(s)	✗	Package width	354 mm
		Package depth	194 mm

Management features

Quality of Service (QoS) support	✓
Reset button	✓

Packaging data

Package height	38 mm
Package weight	712 g

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-APR-2023. Prints or copies of Information are only valid on the printed Publication date